

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
**19.04.2000 Bulletin 2000/16**

(51) Int Cl.7: **G06F 17/30, H04L 29/06**

(21) Application number: **99305346.1**

(22) Date of filing: **06.07.1999**

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU**  
**MC NL PT SE**  
 Designated Extension States:  
**AL LT LV MK RO SI**

(72) Inventors:  
 • **Yoo, Jin Hee**  
**Seocho-ku, Seoul (KR)**  
 • **Cho, Won Bong**  
**Boondang-ku, Seongnam City, Kyongki-do (KR)**  
 • **Lee, Min Seop**  
**Seocho-ku, Seoul (KR)**

(30) Priority: **12.10.1998 KR 9842551**  
**10.06.1999 KR 9921607**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**  
**Suwon-City, Kyungki-do (KR)**


(74) Representative: **Chugg, David John et al**  
**Appleyard Lees,**  
**15 Clare Road**  
**Halifax, West Yorkshire HX1 2HY (GB)**

(54) **Method and medium for rendering documents by server**

(57) A method and a medium for rendering documents to a browser (110a-110d) from a server (120) are provided. According to the rendering method, the browser (110a-110d) requests a predetermined document and at the same time transmits user's computing environmental information to the server (120). The server (120) evaluates the computing environmental information received from the browser (110a-110d). The server (120) converts the requested document based on the evaluated user's computing environmental information.

The server (120) transmits the converted document to the browser (110a-110d). The server (120) renders the documents to the browser in an appropriate manner by including only the information accessible in compliance to the user's computing environmental information, or converting it into the document accessible by the user. Thus, the data volume to be processed by the browser (110a-110d) as well as the network traffic are reduced, and thus the document transfer rate is enhanced. In addition, the user having a limited computing environment can sufficiently utilize the documents.

**FIG . 2**



## Description

[0001] The present invention relates to a method and a medium for rendering a document written into hyper-text markup language (HTML), and more particularly, to a method and a medium for rendering an HTML document to a web browser in which a web server properly converts the HTML document according to a user's computing environment and renders the converted result to the web browser.

[0002] The Internet is a kind of computer network, that is, a world-wide network of computers or servers for sharing information about education, economy, trade, etc. Computers connected to the Internet use TCP/IP (Transmission Control Protocol/Internet Protocol) as a standard protocol to communicate with one another, or any other networks. The TCP/IP divides the information obtained via the Internet into smaller pieces called packets. These packets are each numbered and are labelled with destination addresses, so as to be forwarded to the destination. That is, the packets are stamped with information concerning where the packets are from, where they go, and how many packets there are in total, and then are sent to the destination. After the packets arrive at the destination, they are reassembled.

[0003] These days WWW (World Wide Web: hereinbelow referred to as ("The Web")) is the most popular information service provider on the Internet, and allows graphic information and sound information as well as text information to be presented and exchanged.

[0004] One of the significant features of the Web is providing information in the form of "hypertext" or "hypermedia". The term "hypertext" means text information that includes links connected to other online information therein and the term "hypermedia" extends the concept of hypertext to other forms of information, including images, sounds and even motion images. Therefore, a user reading a hypermedia document clicks one of the links embedded in the document on the screen so as to receive a new document in a desired web site specified by URL (Universal Resource Locator).

[0005] The Web also adopts a client-server system as other internet services do, but differs from the conventional client-server applications, where a connection between the client and the server is maintained as long as the client is active. A web client (hereinafter referred to as a "web browser") and a web server are kinds of application programs, and exchange data through a standard protocol. HTTP (HyperText Transfer Protocol), one of the standard protocols, is used to communicate web documents of hypertext- and hypermedia-structures between web clients and web servers. Web documents are created using HTML and are generally ASCII texts with tags. Tags are commands inserted in the texts to present texts on a monitor screen or jump to other web documents.

[0006] Figure 1 is a block diagram illustrating a transmission path between a web browser and a web server.

A web browser 110 initiates a request for a HTML document resident in a web site specified by URL to a web server 120. The web server 120 then obtains, and supplies the web browser 110 with, the desired HTML data. The web browser 110 displays the supplied document on user's display devices in an appropriate format.

[0007] Here, the HTML documents in a site specified by URL, provided to the web browser 110 by the web server 120 are transmitted without any modification, taking no consideration of users' various computing environments, that is, irrespectively of whether or not the user's computer is equipped with a mouse, a speaker or a keyboard.

[0008] However, when a user is under a limited computing environment; for example, when a user has a computer system having no speaker, the user cannot listen to the phonetical information included in the HTML documents.

[0009] Therefore, the information contained in the HTML document supplied by a web server 120 would be useless to a user if the user cannot gain access thereto due to a limited computing environment, which causes a mere waste in data transmission time and an increase in the amount of web traffic because of the redundant transmission of unusable data.

[0010] It is thus an aim of embodiments of the invention to provide a method and a medium for rendering a document to a browser of a the user, according to user's computing environments.

[0011] According to a first aspect, there is provided a method for rendering a document to a browser by a server, the document rendering method comprising the steps of: the browser requesting a predetermined document to the server and at the same time transmitting user's computing environmental information to the server; the server evaluating the user's computing environmental information received from the browser; the server converting the requested document according to the evaluated user's computing environmental information; and the server transmitting the converted document to the browser.

[0012] It is preferable that the computing environmental information is included in a hypertext protocol (HTTP) header.

[0013] The method may comprise the step of agreeing as to how to receive and transmit the user's computing environment information between said browser and said server.

[0014] It is preferable that the method further includes the step of making an appointment for communicating the user's computing environmental information between the server and the browser.

[0015] It is more preferable that the method further includes the steps of: the server requesting user's computing environmental information to a new browser, in the case that the new browser makes no appointment/ no agreement with the server for communicating user's computing environmental information with each other;

and the browser transmitting the user's computing environmental information to the server based on the request.

[0016] The method is effective when it further includes the preferred steps of: the browser displaying a fill-in form for requesting a user to fill the user's computing environmental the user's computing environmental information; and the server transmitting the computing environmental information filled in by the user to the server.

[0017] According to another aspect of the invention there is provided a computer readable medium for rendering a document to a browser by a server on a computer network, the computer readable medium comprising: program code means for requesting a predetermined document and at the same time transmitting user's computing environmental information to said server, at said browser; program code means for evaluating the computing environmental information received from said browser, at said server; program code means for converting said requested document according to the evaluated user's computing environmental information, at said server; and program code means for transmitting said converted document to said browser, at said server.

[0018] It is preferable that the computing environmental information is included in a hypertext transfer protocol (HTTP) header.

[0019] For a better understanding of the invention, and to show how embodiments of the same may be carried into effect, reference will now be made, by way of example, to the accompanying diagrammatic drawings in which:

Figure 1 is a block diagram illustrating a transmission path between a web browser and a web server;

Figure 2 is a schematic view of the method for rendering web documents according to embodiments of the present invention; and

Figure 3 is a flow chart view showing the method for rendering the HTML documents by the web server, according to the user's computing environments.

[0020] A preferred embodiment will be described in detail with reference to the accompanying drawings.

[0021] Fig. 2 is a schematic view illustrating a method for rendering web documents. The system for rendering the web documents includes web browsers 110a, 110b, 110c and 110d, a web server 120, and a HTML converter 220.

[0022] The term "HTTP" is a web standard protocol for exchanging HTML documents between the web server 120 and the web browsers 110a, 110b, 110c and 110d. Information transmitted by the HTTP is comprised of a HTTP header and a documents body. The HTTP header is transferred by MIME (Multi-purpose Internet Mail Extensions) which is an internet standard protocol for multi-media electronic mails on the internet. The HT-

TP has two advantages by using the MIME protocol: first, it can transmit ASCII data and second, it can serve to identify the type of data during transmission. Thus, the HTTP header can convey the method for opening HTML documents and the information for identifying formats of HTML documents, as well as the binary information, and also convey even the (encoded) nonstandard information agreed between the web server 120 and the web browsers 110a, 110b, 110c and 110d. Generally, the HTTP header contains information about the version of HTTP utilized, the status of response, the current date and time, and the information linked to the requested document such as its length and the last time it was modified, and a documents body indicates the requested HTML documents

[0023] A plurality of web browsers 110a, 110b, 110c and 110d respectively gain access to a web server and send a GET request with a URL (Uniform Resource Locator) of desired HTML documents to the web server according to the protocols specified in the URL. The URL provides a standard information location indicating method for identifying the location of millions of web documents on the Internet in a uniform manner, and is used to indicate the location of web documents contained in the web servers.

[0024] When sending a GET request, on the basis of a predetermined encoding/decoding method, a web browser writes a user's computing environmental information on a HTTP header, e. g., whether the user's computer has a color or a mono display, the mode of the display is in texts or in graphics, the computer system is equipped with a keyboard, a speaker/microphone, a Windows environment, a monitor, etc., and then transmits such information to the web server 120.

[0025] The web server 120 requested by a web browser to render HTML documents evaluates the user's computing environmental information from the HTTP header, and then, deletes tags or contents unnecessary for the user from the fetched HTML documents specified by URL, using a HTML converter 220, on the basis of the evaluated user's computing environment information, or converts the fetched HTML documents into documents in a form in which the user can access thereto.

[0026] For example, in a computing environment having no mouse, the web server 120 inserts tab indices in the links or the image maps on HTML documents such that a user can access thereto via a keyboard. When a "FORM" for inputting keywords to search for information is contained in the requested HTML document, the web server 120 can insert an access key for the user to fill in the FORM by using the keyboard and moving the cursor within the FORM. In a computing environment without having both a mouse and a keyboard but with a speaker, the web server 120 may convert the content of the HTML documents into phonetical information, in which case the server 120 inserts a word or a number in front of, or at the back of, an anchor or an image map

or makes the sound of an anchor louder so that the user can recognize the anchor or the image map simply by listening to the sound. In a computing environment having no monitor, an original text file may be converted into an audio file such that a file content can be recognized. In a computing environment without a GUI (Graphic User Interface), the web server 120 may render a title or a URL in the place of an image to indicate that an image exists.

[0027] The web server 120 transmits the HTML web documents converted in accordance with the user's computing environment to the web browsers 110a, 110b, 110c and 110d in order to display them on a screen according to the type of HTML document.

[0028] Figure 3 is a flow chart showing a method of rendering an HTML document by the web server, according to the user's computing environment.

[0029] The web server 120 and said web browsers 110a, 110b, 110c and 110d agree how to encode and decode the user's computing environmental information (step 310). For example, information as to whether the computer is equipped with a speaker, whether the monitor is a colour monitor, etc., is converted into ASCII data which correspond to each other on a one-to-one basis, in order to be recognized by each other. When the web server 120 is requested by the web browsers 110a, 110b, 110c and 110d to render a document, it first judges whether the request was made from the web browser containing the agreed user's computing environment information (step 320). If it is confirmed, the web server 120 reads out the user's computing environmental information contained in the HTTP header from the HTTP protocol transmitted from the web browsers 110a, 110b, 110c and 110d (step 360).

[0030] If the browser does not contain the user's computing environmental information in the HTTP header, the web server 120 first requests the web browsers 110a, 110b, 110c and 110d to render the user's computing environmental information.

[0031] When the web server 120 requests the user's computing environmental information and at the same time sends the page including a FORM to the web browsers 110a, 110b, 110c and 110d. Then, the web browsers receive and display it on the display device, so that the user can input his computing environmental information therein. For this purpose, the user's computer system must be equipped with a display device and a means for inputting his or her computing environmental information such as a keyboard or a mouse. A user fills in the page transmitted from the web server 120 and then sends the filled-in page back to the web server 120. The page with a FORM requesting user's computing environmental information may have several items concerning the user's computing environmental information which are prearranged by the web server 120 so that the user can mark on the appropriate items by clicking on them. Otherwise, the user may directly input his or her computing environmental information on the FORM.

By leaving the FORM blank, the user may not transmit his or her computing environmental information to the web server, in which case the web server 120 renders the HTML documents without any modification as they are.

[0032] Where the user's computing environmental information is sent to the web server 120, loaded in the HTTP header or through the page with a FORM requesting the user to input the information, the web server 120 reads out the user's computing environmental information (step 360) and evaluates it (step 370), and converts the HTML documents specified in the URL to comply with the evaluated user's computing environmental information through HTML converter (step 380). The HTML documents converted by the web server 120 are transmitted to the web browsers 110a, 110b, 110c and 110d through the HTTP protocol (step 390).

[0033] As described above according to embodiments of the present invention, the web server renders the HTML documents to the web browser in an appropriate manner by including only that information which is accessible in compliance with the user's computing environment, or by converting it into a document which is accessible by the user. Thus, the network traffic as well as the data volume to be processed by the web browser are reduced, and thus the document transfer rate is enhanced. In addition, users having only a limited computing environment can sufficiently utilize web documents.

[0034] It is expected that portable communications devices will be provided in various developed patterns as use of lap-top or palm-top computers is prevailing and user's computing environments will also be varied accordingly. Thus, the method and the medium for rendering HTML documents converted by a web server according to the teachings of the present invention will be more effective in various computing environments as described above.

[0035] Although the present invention has been described in connection with preferred embodiment thereof, it will be appreciated by those skilled in the art that additions, modifications, substitutions and deletions not specifically described may be made without departing from the scope of the invention as defined in the appended claims.

[0036] The reader's attention is directed to all papers and documents which are filed concurrently with or previous to this specification in connection with this application and which are open to public inspection with this specification, and the contents of all such papers and documents are incorporated herein by reference.

[0037] All of the features disclosed in this specification (including any accompanying claims, abstract and drawings), and/or all of the steps of any method or process so disclosed, may be combined in any combination, except combinations where at least some of such features and/or steps are mutually exclusive.

[0038] Each feature disclosed in this specification (in-

cluding any accompanying claims, abstract and drawings), may be replaced by alternative features serving the same, equivalent or similar purpose, unless expressly stated otherwise. Thus, unless expressly stated otherwise, each feature disclosed is one example only of a generic series of equivalent or similar features.

[0039] The invention is not restricted to the details of the foregoing embodiment(s). The invention extend to any novel one, or any novel combination, of the features disclosed in this specification (including any accompanying claims, abstract and drawings), or to any novel one, or any novel combination, of the steps of any method or process so disclosed.

#### Claims

1. A method for rendering a document to a browser (110a-110d) by a server (120) on a computer network, the method comprising the steps of:

at said browser (110a-110d), making a request for a predetermined document to said server (120) and at the same time transmitting information about a user's computing environment to said server (120);

at said server (120), evaluating the computing environmental information received from said browser 110a-110d);

at said server (120), converting the requested document according to the evaluated user's computing environmental information; and

at said server (120), transmitting said converted document to said browser (110a-110d).

2. The method of claim 1, wherein said computing environmental information is included in a hypertext transfer protocol (HTTP) header.

3. The method of claim 1 or 2, further comprising the step of agreeing as to how to receive and transmit the user's computing environmental information between said browser (110a-110d) and said server (120).

4. The method of claim 3, further comprising the steps of:

at said server (120), making request for the user's computing environmental information to a browser (110a-110d) , if a document request is sent from the browser (110a-110d) which has not agreed with said server (120) as to how to receive and transmit the users' computing environmental information; and

at said browser (110a-110d), transmitting the user's computing environmental information to said server (120) based on the request.

5. The method of claim 4, wherein said requesting step for requesting the user's computing environmental information comprises the steps of:

transmitting a FORM embedded page to said browser (110a-110d) for requesting a user to fill in the FORM embedded page;

displaying the FORM embedded page on a display; and

transmitting user's computing environmental information to said server (120).

6. A computer readable medium for rendering a document to a browser (110a-110d) by a server (120) on a computer network, the computer readable medium comprising:

program code means for requesting a predetermined document from said server (120) and at the same time transmitting user's computing environmental information to said server (120), at said browser (110a-110d);

program code means for evaluating the computing environmental information received from said browser (110a-110d), at said server (120);

program code means for converting said requested document according to the evaluated user's computing environmental information, at said server (120); and

program code means for transmitting said converted document to said browser (110a-110d), at said server (120).

7. The computer readable medium of claim 6, wherein said computing environmental information is included in a hypertext transfer protocol (HTTP) header.

FIG . 1






FIG . 2



REQUEST ----->  
HTML DOCUMENT ----->

FIG . 3





(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:  
**15.11.2000 Bulletin 2000/46**

(51) Int Cl.<sup>7</sup>: **G06F 17/30, H04L 29/06**

(43) Date of publication A2:  
**19.04.2000 Bulletin 2000/16**

(21) Application number: **99305346.1**

(22) Date of filing: **06.07.1999**

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU**  
**MC NL PT SE**  
 Designated Extension States:  
**AL LT LV MK RO SI**

(30) Priority: **12.10.1998 KR 9842551**  
**10.06.1999 KR 9921607**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**  
**Suwon-City, Kyungki-do (KR)**

(72) Inventors:  
 • **Yoo, Jin Hee**  
**Seocho-ku, Seoul (KR)**  
 • **Cho, Won Bong**  
**Boondang-ku, Seongnam City, Kyongki-do (KR)**  
 • **Lee, Min Soep**  
**Seoul 135-120 (KR)**


(74) Representative: **Chugg, David John et al**  
**Appleyard Lees,**  
**15 Clare Road**  
**Halifax, West Yorkshire HX1 2HY (GB)**

(54) **Method and medium for rendering documents by server**

(57) A method and a medium for rendering documents to a browser (110a-110d) from a server (120) are provided. According to the rendering method, the browser (110a-110d) requests a predetermined document and at the same time transmits user's computing environmental information to the server (120). The server (120) evaluates the computing environmental information received from the browser (110a-110d). The server (120) converts the requested document based on the evaluated user's computing environmental information.

The server (120) transmits the converted document to the browser (110a-110d). The server (120) renders the documents to the browser in an appropriate manner by including only the information accessible in compliance to the user's computing environmental information, or converting it into the document accessible by the user. Thus, the data volume to be processed by the browser (110a-110d) as well as the network traffic are reduced, and thus the document transfer rate is enhanced. In addition, the user having a limited computing environment can sufficiently utilize the documents.

**FIG . 2**







European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 99 30 5346

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Y	WO 98 15091 A (CASIO COMPUTER CO LTD) 9 April 1998 (1998-04-09) * abstract * * page 20, line 1 - page 21, line 2 * * page 15, line 9 - page 17, line 13; figure 10 * ---	1-7	G06F17/30 H04L29/06
Y	BICKMORE T W ET AL: "Digester: device-independent access to the World Wide Web" COMPUTER NETWORKS AND ISDN SYSTEMS,NL,NORTH HOLLAND PUBLISHING. AMSTERDAM, vol. 29, no. 8-13, 1 September 1997 (1997-09-01), pages 1075-1082, XP004095305 ISSN: 0169-7552 * abstract * * page 1080, right-hand column, line 16 - page 1081, left-hand column, line 1 * * page 1081, right-hand column, line 12 - line 18 * ---	1-7	TECHNICAL FIELDS SEARCHED (Int.Cl.7)  G06F
A	PATENT ABSTRACTS OF JAPAN vol. 1999, no. 01, 29 January 1999 (1999-01-29) & JP 10 269160 A (MATSUSHITA ELECTRIC IND CO LTD), 9 October 1998 (1998-10-09) * abstract * & JP 10 269160 A (MATSUSHITA ELECTRIC IND CO LTD) 9 October 1998 (1998-10-09) * page 5, paragraph 34 - paragraph 39 * --- -/--	1,2,6,7	
The present search report has been drawn up for all claims			
Place of search <b>THE HAGUE</b>		Date of completion of the search <b>22 September 2000</b>	Examiner <b>Fournier, C</b>
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons &amp; : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.92 (P4/C01)



European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 99 30 5346

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	SHIMADA T ET AL: "Interactive scaling control mechanism for World-Wide Web systems" COMPUTER NETWORKS AND ISDN SYSTEMS,NL,NORTH HOLLAND PUBLISHING. AMSTERDAM, vol. 29, no. 8-13, 1 September 1997 (1997-09-01), pages 1467-1477, XP004095341 ISSN: 0169-7552 * page 1469, right-hand column, line 20 - line 27 * * page 1473, left-hand column, line 9 - right-hand column, line 9 * ---	1,2,6,7	
A	PATENT ABSTRACTS OF JAPAN vol. 1998, no. 10, 31 August 1998 (1998-08-31) & JP 10 133973 A (HITACHI LTD), 22 May 1998 (1998-05-22) * abstract * & JP 10 133973 A (HITACHI LTD) 22 May 1998 (1998-05-22) * page 5, paragraph 13 - page 6, paragraph 20 * -----	1,2,6,7	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 22 September 2000	Examiner Fournier, C
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03/02 (P4/C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 30 5346

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

22-09-2000

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9815091 A	09-04-1998	AU 709158 B	26-08-1999
		AU 4397997 A	24-04-1998
		CA 2238320 A	09-04-1998
		EP 0870388 A	14-10-1998
JP 10269160 A	09-10-1998	NONE	
JP 10133973 A	22-05-1998	NONE	

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82